ThinkVision T27i-30 63A4MAT1EU

Product

ThinkVision T27i-30

Machine Type 63A4

Region EMEA

Display Size

View Area 596.7×336.31 mm

Panel In-Plane Switching

Aspect Ratio 16:9

Resolution 1920x1080

Pixel Pitch 0.3114x0.3114 mm

Dot / Pixel Per Inch 82 dpi

View Angle (H / V) 178 / 178

Response Time 4 ms (Extreme mode) / 6 ms (Typical mode)

Color Support 16.7 Million

Refresh Rate 60 Hz

Brightness 300 nits

Contrast Ratio 1000:1

Color Gamut 99% sRGB

Curvature None

Anti-glare Yes

Video Connector 1x HDMI 1.4, 1x DP 1.2, 1x VGA

USB Port 4x USB 3.2 Gen 1 (1x BC)

Camera Modular Camera Support

Microphone None

Speakers Modular Soundbar support Power Consumption (Typical / Maximum) 24W / 65W

Power Adapter Integrated

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Color Black

Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 544.3x611.9x204.5 mm / 21.43x24.09x8.05 inches

Weight (Including Stand) 6.9 kg / 15.2 lbs.

Cables Included DP cable, USB Type-A to Type-B cable

Environmental Certification Energy Star Certified, TCO 8.0, TCO Edge 2.0, EPEAT Gold, RoHS

Ergonomic Certification Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Eye Comfort

Base Warranty 3-year

Operating System Support Support Windows 10, Windows 11

Sync Technology None

Tiny Support / CPU / Platform None / None / None

Ethernet / Bluetooth / Wireless None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Display Ram / Storage / Card Slot None / None / None

EAN / UPC / JAN 0196379785737 / 196379785737 / None

Announce Date 2022-05-24

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2022. All rights reserved.



ThinkVision T27i-30 Monitor

DISPLAY

Panel Size 27-inch

Screen Dimensions 607.1 mm x 354.1 mm

Panel Type 3-side Borderless In-Plane Switching

Active Area 597.9 mm x 336.3 mm

Backlight WLED

Aspect Ratio 16:9

Resolution 1920 x 1080

Pixel Pitch 0.3114 mm x 0.3114 mm

Dot/Pixel Per Inch (DPI/PPI) 82

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode). 6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate 60 Hz

Brightness (Typical) 300 cd/m²

Contrast Ratio (Typical) 1000:1

Dynamic Contrast Ratio (Typical) 3M-1

Color Gamut (Coverage Ratio) 99% sRGB (CIE 1931)

Color Support (Typical) 16.7 Million

Color Depth 8-bit (6+FRC)

Anti-Glare Yes

CONNECTIVITY

Video Signal 1 x HDMI 1.4 1 x DP 1.2 1 x VGA

Audio Signal 1 x Audio Out (3.5 mm)

USB Hub Yes

USB Upstream 1 x USB 3.2 Gen 1¹ (by USB Type-B)

USB Downstream 4 x USB 3.2 Gen1¹ (1 x BC 1.2)

SPECIAL FEATURES

Software Lenovo ThinkColour (Lenovo Display Control Center)²

Natural Low Blue Light Yes

Modular Camera/Speaker Support Yes (Optional Support³)

Yes

Black

2.0 mm

2.0 / 17.6 mm

DIMENSION

Size Packed (D x H x W) (mm/inch) 525.0 x 148.0 x 690.0 mm 20.67 x 5.83 x 21.17 inches

Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch) 204.5 x 389.3 x 611.9 mm 8.05 x 15.33 x 24.09 inches

Size Unpacked w/ Stand (Highest Position) $(D \times H \times W)$ (mm/inch) 204.5 x 544.3 x 611.9 mm 8.05 x 21.43 x 24.09 inches

Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch) 50.0 x 362.5 x 611.9 mm 1.97 x 14.27 x 24.09 inches

Weight Packed (kg / lb) 10.1 kg / 22.3 lbs.

Weight Unpacked (kg / lb) 6.9 kg / 15.2 lbs.

Weight (Monitor Head Only) (kg / lb) 4.9 kg / 10.8 lbs.

WHAT'S IN THE BOX

Monitor with Stand Yes

Power Cable (Cable Length) 1 x Power Cable (1.8m)

DP Cable (Cable Length) 1 x DP 1.2 Cable (1.8m)

USB Cable (Cable Length) 1 x USB Type-A to Type-B Cable (1.8m)

Quick Setup Guide Yes

CERTIFICATION

ENERGY STAR Certification

Yes CCC Yes тсо

Yes

TCO Edge Yes

FPFAT Gold

> RoHS Yes

Windows Certification Windows 10, Windows 11

China Energy Efficiency Standard Tier 2

TÜV Rheinland Eye Comfort Yes

TÜV Low Blue Light (Hardware Solution) Yes

Evesafe Display Certification Yes





¹ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

² This software can only be used with Windows 10 & Windows 11. |³ Modular VoIP solution (ThinkVision MC30 Monitor Soundbar and ThinkVision MC60 Monitor Webcam) is sold separately.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any guestions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation. in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

ovora

-5° / 23.5° +45° / -45° Lift Range

POWFR

24W / 65W

< 0.5W

< 0.3W

(Pon/ETEC)

Internal

15W / 50kWh

Power Supply

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Power Consumption (Typ. / Max.)

Power Consumption Sleep/Off Mode

Power Consumption Switch-Off Mode

ENERGY STAR Power Consumption

155 mm

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

Kensington Lock Slot Yes

Cable Management

Bezel Color

Bezel Width (Side)

Bezel Width (Top / Bottom)

Tilt Angle (Front / Back) Swivel Angle (Left / Right)

ThinkVision T27i-30











